## RENAISSANCE

## TYLENOL AND/OR EXTRA-STRENGTH TYLENOL IS OKAY TO TAKE.

Patient Name	Date
THE FOLLOWING MEDICATIONS THIN THE BLOOD AND RAISE THE RISKS OF EXCESSIVE BLEEDING DURING AND AFTER THE OPERATION:	
ALEVE ASPIRIN ADVIL ALKA SELTZER ANACIN APC APECTOL ARTHRITIS STRENGTH BUFFERIN ASA COMPOUND ASCRIPTIN ASPERGUM BUFF-A-COMP BC BUFFERIN BUTAZOLIDIN BUTABITAL W/APC CAPRON CAPSULES CETASID CONTAC CONGESPIRIN COPE CORICIDIN CORCIDIN CORCIDIN CORCIDIN CORCIDIN DARVON DEFORTE-DEFULE DOLOBID DRISTAN ECOTRIN EMPIRIN EQUAGESIC	EXCEDERIN EXTRA STRENGTH BUFFERIN 4-WAY COLD TABLETS FIORINAL GEMNISYN GOODY'S POWDER IBUPROFEN INDOCIN LIQUIDSRIN TABLETS MIDOL MOTRIN NAPROSYN NORGESIC NOVAHISTINE W/APC PERCODAN PHENAPHEN PHENSOL RELAFEN ROBAXISAL SK-65 COMPOUND STANBACK SUPAC SUPER ANAHIST SYNALGOS TRIGISIC TRIAMINIC VANQUISH VITAMIN E ZACTRIN ZORPHRIN
DO NOT TAKE any of these medications or any medications containing aspirin or blood thinning agents for at least ten (10) days prior to surgery. PLEASE DO NOT TAKE DIET PILLS OR HERBAL MEDICINES FOR 30 DAYS PRIOR TO SURGERY.  Initials	
Please note: this list does not include all medications containing Aspirin! If you are currently taking any medications not listed above, consult with your physician at Renaissance Plastic Surgery, P.C. prior to scheduling surgery Initials	
I have been instructed not to smoke days prior to my surgery. I understand that I will be tested the morning of surgery, and if the test results are positive for nicotine my surgery will be cancelled Initials	